

IN THE CLAIMS:

1. (currently amended) A method for providing context sensitive information comprising:

identifying a user associated with a business operation;

defining a query related to the business operation;

transmitting ~~said the~~ query and ~~said the~~ user identity to a server;

periodically querying at least one database;

retrieving ~~said~~ query information from ~~said the~~ at least one database;

retrieving user information from ~~said the~~ at least one database;

obtaining a location of the user within a facility, the location of the user related to the user's duties within the business operation;

creating a context sensitive subset of ~~said the~~ query information based on ~~said the~~ user information and the location of the user within the facility, the query information related to the user's duties within the business operation; and

transmitting ~~said the~~ context sensitive subset query information to ~~said the~~ user.

2. (canceled)

3. (currently amended) The method of claim 1 wherein ~~said the~~ query definition includes data on ~~[[the]]~~ a desired format of the information.

4. (currently amended) The method of ~~claim 3~~ claim 1 wherein ~~said the~~ query definition includes data on ~~[[the]]~~ a desired format of the information.

5. (currently amended) The method of ~~claim 4~~ claim 1 wherein ~~said the~~ query definition includes information on ~~[[the]]~~ a period of time between ~~said the~~ queries.

6. (currently amended) The method of claim 1 further comprising the step of:

defining an alarm criteria for ~~said~~ the query information;

periodically querying ~~said~~ the at least one database;

comparing ~~said~~ the query information to ~~said~~ the alarm criteria; and,

notifying ~~said~~ the user if ~~said~~ the alarm criteria is met.

7-35. (canceled)

36. (currently amended) A system for providing context sensitive information to a user, said system comprising:

a server;

at least one database connected to said server;

a query means for executing a predefined query on said at least one database, said query means creating a set of data that is related to a business operation;

a means for a user to request said set of data from said server, the user associated with the business operation;

an application program on said server, said application program determining the identity of ~~said~~ the user, obtaining a location of the user within a facility, and creating a context sensitive subset of said set of data based on ~~said~~ the users identity and the location of the user within the facility, the location of the user and said context sensitive subset of said set of data related to the user's duties within the business operation; and

a means for transmitting said context sensitive subset of said set of data to ~~said~~ the user.

37. (currently amended) The system of claim 36 wherein said application program creates said context sensitive data subset from a set of rules predefined by ~~said~~ the user.

38. (currently amended) The system of claim 36 further comprising at least one node accessible by ~~said~~ the user and remote from said server.

39. (currently amended) The system of claim 38 wherein said at least one node is a computer.

40. (currently amended) The system of claim 38 wherein said at least one node is a personal digital assistant.

41. (currently amended) The system of claim 38 wherein said at least one node is a portable communications device.

42. (original) The system of claim 38 wherein said transmission means is a computer network.

43. (original) The system of claim 38 wherein said transmission means is a cellular network.

44. (original) The system of claim 38 wherein said transmission means is via a radio system.

45. (currently amended) The system of claim 38 further comprising:

a network, said server located on said network; and

a plurality of databases on said network, said query means accessing said plurality of databases to retrieve said set of data.

46. (currently amended) The system of claim 45 wherein said application program queries at least one database to determine the identified user's predefined preferences, said application program creating said context sensitive subset of said set of data in response to said predefined preferences.

47. (currently amended) The system of claim 46 wherein said application program queries at least one database to determine the identified user's schedule, said application

program creating said context sensitive subset of said set of data in response to said the identified user's schedule.

48. (currently amended) The system of claim 47 wherein said application program queries at least one database to determine the identified user's personnel information, said application program creating said context sensitive subset of said set of data in response to said the identified user's personnel information.

49. (original) The system of claim 48 wherein said personnel information includes the identified user's job assignment.

50-94. (canceled)

95. (currently amended) A storage medium encoded with machine readable program code for providing context sensitive information to a user, said program code including instructions for causing a computer to implement a method comprising:

identifying a user associated with a business operation;

defining a query related to the business operation;

transmitting said query and said user identity to a server;

periodically querying at least one database;

retrieving ~~[[said]]~~ query information from said at least one database;

retrieving user information from said at least one database;

obtaining a location of the user within a facility, the location of the user related to the user's duties within the business operation;

creating a subset of said query information based on said user information and the location of the user within the facility, said query information related to the user's duties within the business operation;

formatting said subset query information; and,

transmitting said formatted subset query information to ~~said~~ the user.

96. (canceled)

97. (currently amended) The storage medium of ~~claim 96~~ claim 95 wherein said query definition includes data on ~~[[the]]~~ a desired format of the information.

98. (currently amended) The storage medium of ~~claim 97~~ claim 95 wherein said query definition includes data on ~~[[the]]~~ a desired format of the information.

99. (currently amended) The storage medium of ~~claim 98~~ claim 95 wherein said query definition includes information on ~~[[the]]~~ a period of time between said queries.

100. (currently amended) The storage medium of claim 95 wherein said program code including instructions for causing a computer to implement a method further comprising the step of: comprises:

defining an alarm criteria for said query information;

periodically querying said at least one database;

comparing said query information to said alarm criteria; and,

notifying said user if said alarm criteria is met.

101-129. (canceled)

130. (currently amended) A method of encoding a data signal that is propagated over a propagation medium, the data signal being context sensitive to a particular user, said method comprising:

identifying a user associated with a business operation;

defining a query related to the business operation;

transmitting said query and said user identity to a server;

periodically querying at least one database;

retrieving [[said]] query information from said at least one database;

retrieving user information from said at least one database;

obtaining a location of the user within a facility, the location of the user related to the user's duties within the business operation; and

encoding the data signal with a context sensitive subset of said query information that is based on said user information and the location of the user within the facility, the query information related to the user's duties within the business operation.

131-161. (canceled)